

Application for Development Consent


Application Reference Number: WWO10001




Excavated Materials Options Assessment (EMOA)

Figures


Doc Ref: **9.10.03**



Mapping reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown Copyright and Database right 2012. All rights reserved. Ordnance Survey licence number 100019345



- Key
- OperationCat**
- Cement and Brick Manufacture
 - Development and Infrastructure (including Power)
 - Flood Defence
 - Habitats restoration
 - Landfill and Quarry Restoration
 - Material recycling (including aggregates and soils)
 - Use in industry



FOR INFORMATION


[Location](#)
EMOA assessment area

[Document Information](#)
Environmental Statement
 EMOA - Location of receptor sites on the long list

Vol.3 Figure A4.C.1
 1PL03-WM-65001
 JULY 2013



Inclusion of a receptor site on this plan should not be taken to mean that such site will be selected as a receptor site to form part of the Thames Tunnel project. Receptor sites would be selected through a thorough procurement process.



Mapping reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown Copyright and Database right 2012. All rights reserved. Ordnance Survey licence number 100019345



Key

- Options on viable list

10 5 0 10 Km
Scale 1 : 536,359 at A3

FOR INFORMATION

Location
EMOA assessment area

Document Information
Environmental Statement
EMOA – location of receptor sites on the viable list

Vol. 3 Figure A4.C.2
1PL03-WM-65002
July 2013



Inclusion of a receptor site on this plan should not be taken to mean that such site will be selected as a receptor site to form part of the Thames Tunnel project. Receptor sites would be selected through a thorough procurement process.




Mapping reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown Copyright and Database right 2012. All rights reserved. Ordnance Survey licence number 100019345



Key

- Options on short list




FOR INFORMATION

Location
EMOA assessment area

Document Information
Environmental Statement
 EMOA – location of receptor sites on the short list
 Vol. 3 Figure A4.C.3
 1PL03-WM-65003
 July 2013

Thames Tideway Tunnel
 Creating a cleaner, healthier River Thames

Inclusion of a receptor site on this plan should not be taken to mean that such site will be selected as a receptor site to form part of the Thames Tunnel project. Receptor sites would be selected through a thorough procurement process.



Mapping reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown Copyright and Database right 2012. All rights reserved. Ordnance Survey licence number 100019345



Key

- Options on planning stage preferred list



FOR INFORMATION

Location
EMOA assessment area

Document Information
Environmental Statement
 EMOA – location of receptor sites on the planning stage preferred list
 Vol. 3 Figure A4.C.4
 1PL03-WM-65004
 July 2013

Thames Tideway Tunnel
 Creating a cleaner, healthier River Thames

Inclusion of a receptor site on this plan should not be taken to mean that such site will be selected as a receptor site to form part of the Thames Tunnel project. Receptor sites would be selected through a thorough procurement process.