

# INDEPENDENT COMPENSATION PANEL

## MEETING #117

### PUBLIC MINUTES

<b>Purpose:</b>	To determine special medical case claims.
<b>Date and time:</b>	Tuesday 23 April 2019 2019– 9.45 am to 4pm.
<b>Location:</b>	Teleconference/Cottons Centre, Cottons Lane, London, SE1 2QG
<b>Panel Members:</b>	Fiona Penhallurick (Chair) Graham Parry (Noise & Vibration) Stephen Stansfeld (Medical)
<b>Abbreviations:</b>	'Panel' means the Independent Compensation Panel 'Project' means Tideway 'ICC' means the Independent Complaints Commissioner for the Project 'TAP' means Trigger Action Plan
<b>Document Number:</b>	2350-TDWAY-TTTUN-990-ZZ-ZZ-720423

Item 1	Notes for the record
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720431.
<b>Relevant Tideway site</b>	Carnwath Road
<b>Decision</b>	<b>The requested mitigation was NOT Awarded</b>
<b>Further information required/actions arising</b>	None

Item 2	Notes for the record
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720443 in respect of an application for various mitigation.
<b>Relevant Tideway site</b>	Kirtling Street
<b>Decision</b>	<b>The requested mitigation was AWARDED in part.</b>
<b>Information/action requested from Tideway</b>	Tideway/contractor is asked to provide a report to the ICP on what measures are being taken to reduce the noise impact of the muck bin operations at Kirtling Street.  Tideway/contractor to provide black out blinds in line with Tideway's blackout blind process.

Item 3	Notes for the record
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720444 in support of an application for respite.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Decision</b>	<b>The requested mitigation was AWARDED.</b>
<b>Further information required/actions arising</b>	None
Item 4	Notes for the record
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720437 in support of the application for various mitigation.
<b>Relevant Tideway site</b>	Kirtling Street
<b>Decision</b>	<b>The requested mitigation was AWARDED in part</b>
<b>Information/action requested from Tideway</b>	<p>Tideway/contractor is required to provide a report to the ICP on what measures are being taken to reduce the noise impact of the muck bin operations</p> <p>Tideway/contractor to provide black out blinds in line with Tideway's blackout blind process.</p>

<p><b>Chambers Wharf – completion of acoustic enclosure and shaft completion to design depth</b></p>	<p><b>The Panel has previously made a number of awards which were time limited until the acoustic enclosure had been completed. A number of these were extended until the Panel had an opportunity to review sufficient noise and air quality data to satisfy itself whether the acoustic enclosure was having a noticeable positive effect on the noise impact of works at the Tideway site on the claimants. To give sufficient time for data to be collected and reviewed the Panel extended a number of awards until the shaft had reached design depth. That date was chosen as a known and widely reported date of sufficient time after the completion of the acoustic shed to allow noise data to be collected and reviewed. To ensure, so far as is possible, that all cases are considered fairly and on their individual merits, the Panel is considering all such cases at this Panel meeting.</b></p> <p><b>The Panel noted the following key dates: -</b></p> <p><b>02/08/2018 –daytime ‘open air’ excavation of shaft started.</b></p> <p><b>15/09/2018 – daytime ‘open air’ excavation of shaft stopped.</b></p> <p><b>20/09/2018 – steelwork assembly for noise enclosure started.</b></p> <p><b>30/11/2018 – noise enclosure substantially complete (i.e. cladding finished on western, southern &amp; eastern facades but mega door on northern façade still being installed.)</b></p> <p><b>11/02/2018 – 24 hr working for shaft excavation within noise enclosure began following completion of installation of mega door.</b></p>
--	---

	<p>The Panel reviewed noise and air quality data from the Chambers Wharf site for a period (in excess of six months,) covering the period before and after the construction of the acoustic enclosure.</p> <p>In relation to air quality, the measured particulate levels around the site remain significantly below (less than half) the Air Quality Objective levels.</p> <p>In relation to noise, the measured levels from various noise monitors around the Chambers Wharf site identify noise levels which would not ordinarily cause disturbance or impact upon the normal use of properties either internally or externally.</p> <p>However, certain properties which have a direct line of sight of current construction works for the slurry treatment plant may experience occasional noise disturbance and accordingly the Panel is extending these awards (only) until completion of the construction of the slurry treatment plant.</p>
--	--

Item 5	Notes for the record
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720395 in support of the application for continuation of holiday respite
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Decision</b>	<b>Extension to the existing mitigation was AWARDED until completion of the construction of the slurry treatment plant.</b>
<b>Further information required/actions arising</b>	None

Item 6	Notes for the record
<b>Applicant Reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720448 in support of the application for continuation of temporary rehousing.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Decision</b>	<b>Extension to the existing mitigation was NOT AWARDED.</b>
<b>Further information required/actions arising</b>	None

Item 7	Notes for the record
<b>Applicant</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720453 in support of the application for continuation of school holiday respite.
<b>Relevant Tideway site</b>	Chambers Wharf

<b>Decision</b>	<b>Extension to the existing mitigation was AWARDED until completion of the construction of the slurry treatment plant.</b>
<b>Further information required/actions arising</b>	None

<b>Item 8</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720432 in support of the application for continuation of daily respite and holiday respite.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Decision</b>	<b>Extension to the existing mitigation was NOT AWARDED</b>
<b>Further information required/actions arising</b>	None

<b>Item 9</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720449 in support of the application for continuation of temporary rehousing.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Decision</b>	<b>Extension to the existing mitigation was AWARDED until completion of the construction of the slurry treatment plant.</b>
<b>Further information required/actions arising</b>	None

<b>Item10</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720454 in support of the application for continuation of holiday respite.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Decision</b>	<b>Extension to the existing mitigation was AWARDED until completion of the construction of the slurry treatment plant.</b>
<b>Further information required/actions arising</b>	None

<b>Item11</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720450 in support of the application for continuation of daily respite.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Decision</b>	<b>Extension to the existing mitigation was AWARDED until completion of the construction of the slurry treatment plant.</b>

<b>Further information required/actions arising</b>	None
---	------

<b>Item 12</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720457 in support of the application for respite.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Decision</b>	<b>The requested mitigation was NOT AWARDED.</b>
<b>Further information required/actions arising</b>	None

<b>Item 13</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720420 in support of the application for continuation of holiday respite.
<b>Relevant Tideway site</b>	<b>Chambers Wharf</b>
<b>Decision</b>	<b>Extension to the existing mitigation was AWARDED until completion of the construction of the slurry treatment plant.</b>
<b>Further information required/actions arising</b>	None

<b>Item 14</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720451 in support of the application for continuation of holiday respite.
<b>Relevant Tideway site</b>	<b>Chambers Wharf</b>
<b>Decision</b>	<b>Extension to the existing mitigation was AWARDED until completion of the construction of the slurry treatment plant.</b>
<b>Further information required/actions arising</b>	None

<b>Item 15</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720458 in support of the application for continuation of current respite.
<b>Relevant Tideway site</b>	<b>Chambers Wharf</b>
<b>Decision</b>	<b>Extension to the existing mitigation was NOT AWARDED.</b>
<b>Further information required/actions arising</b>	None

<b>Item 16</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720455 in support of the application for temporary rehousing.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Decision</b>	<b>The requested mitigation was AWARDED</b>
<b>Further information required/actions arising</b>	None

<b>Item 17</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720415 in support of the application for holiday respite.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Decision</b>	<b>Extension to the existing mitigation was AWARDED until completion of the construction of the slurry treatment plant.</b>
<b>Po0Further information required/actions arising</b>	None

<b>Item 18</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720456 in support of the application for holiday respite.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Decision</b>	<b>Extension to the existing mitigation was AWARDED until completion of the construction of the slurry treatment plant.</b>
<b>Further information required/actions arising</b>	None

<b>Base Plug Pour - Chambers Wharf</b>	<p><b>To ensure, so far as is possible, that all cases are considered fairly and on their individual merits, the Panel is considering all applications for respite during the proposed base plug pour at Chambers Wharf received to date at this Panel meeting. (ICP117). The Panel took into account the proposed routing of vehicles during the base plug pour. The Panel agreed that, on a precautionary basis, although the pour is scheduled to take less than 36 hours, that where awards are made, they should be for two night's temporary accommodation to minimise disruption to those awarded respite.</b></p> <p><b>The Panel reviewed: -</b></p>
--	---

	<ol style="list-style-type: none"> <li>1. Sketch which illustrates the vehicle route to and from site and approximately 420 properties which had received hand delivered mitigation leaflets. The area of distribution was discussed and agreed at the March CLWG.</li> <li>2. March CLWG slide pack which illustrated mitigation to be employed on site to minimise impacts during continuous concrete pour. <a href="https://www.tideway.london/media/2810/chawf-works-update-march-19.pdf">https://www.tideway.london/media/2810/chawf-works-update-march-19.pdf</a> this includes a plan of the site that shows all vehicle movements on site will take place to the west of the acoustic shed (none between the acoustic shed and Fountain Green Square).</li> <li>3. Current Approved Section 61 (ref: 5700-CVBJV-CHAWF-151-TZ- PF-005107) &amp; S61 variation (5700-CVBJV-CHAWF-151-TZ- PF-005830) which includes the current night time works and upcoming continuous concrete pour.</li> <li>4. The Panel consider all cases where an application had been submitted prior to the date of the meeting and also other cases where the Panel was considering other matters on behalf of the resident in relation to current awards which were made until the shaft reached design depth.</li> <li>5. Precautionary principle has been applied.</li> </ol>
--	--

Item 18	Notes for the record
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720422 in support of the application for base plug pour mitigation.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Mitigation/compensation requested</b>	Base plug pour mitigation
<b>Decision</b>	<b>The requested mitigation was AWARDED</b>

Item 19	Notes for the record
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720416 in support of the application for base plug pour mitigation.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Mitigation/compensation requested</b>	Base plug pour mitigation
<b>Decision</b>	<b>The requested mitigation was AWARDED</b>
Item 20	Notes for the record

<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720419 in support of the application for base plug pour mitigation.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Mitigation/compensation requested</b>	Base plug pour mitigation
<b>Decision</b>	<b>The requested mitigation was AWARDED</b>

<b>Item 21</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720415 in support of the application for base plug pour mitigation.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Mitigation/compensation requested</b>	Base plug pour mitigation
<b>Decision</b>	<b>The requested mitigation was AWARDED</b>

<b>Item 22</b>	<b>Notes for the record</b>
<b>Name of Applicant</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720420 in support of the application for base plug pour mitigation.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Mitigation/compensation requested</b>	Base plug pour mitigation
<b>Decision</b>	<b>The requested mitigation was AWARDED</b>

<b>Item 23</b>	<b>Notes for the record</b>
<b>Name of Applicant</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-7204218 in support of the application for base plug pour mitigation.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Mitigation/compensation requested</b>	Base plug pour mitigation
<b>Decision</b>	<b>The requested mitigation was AWARDED</b>

<b>Item 24</b>	<b>Notes for the record</b>
<b>Name of Applicant</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720420 in support of the application for base plug pour mitigation.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Mitigation/compensation requested</b>	Base plug pour mitigation.



<b>Decision</b>	<b>The requested mitigation was AWARDED</b>
-----------------	---

<b>Item 25</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720421 in support of the application for base plug pour mitigation.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Dates of previous consideration by ICP</b>	none
<b>Mitigation/compensation requested</b>	Base plug pour mitigation
<b>Decision</b>	<b>The requested mitigation was AWARDED</b>

<b>Item 26</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720445 in support of the application for base plug pour mitigation.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Mitigation/compensation requested</b>	Base plug pour
<b>Information reviewed/taken into account</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720445 in support of the application for base plug pour mitigation.
<b>Decision</b>	<b>The requested mitigation was AWARDED</b>

<b>Item 27</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720447 in support of the application for base plug pour mitigation.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Mitigation/compensation requested</b>	Base plug pour
<b>Information reviewed/taken into account</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720447 in support of the application for base plug pour mitigation.
<b>Decision</b>	<b>The requested mitigation was AWARDED</b>

<b>Item 28</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720446 in support of the application for base plug pour mitigation.

<b>Relevant Tideway site</b>	Chambers Wharf
<b>Mitigation/compensation requested</b>	Base plug pour mitigation
<b>Information reviewed/taken into account</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720446 in support of the application for base plug pour mitigation.
<b>Decision</b>	<b>The requested mitigation was AWARDED</b>

<b>Item 29</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720446 in support of the application for base plug pour mitigation.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Mitigation/compensation requested</b>	Base plug pour mitigation
<b>Decision</b>	<b>The requested mitigation was AWARDED</b>

<b>AOB</b>	
------------	--

<b>Item 30</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	2350-TDWAY-TTTUN-990-ZZ-ZZ-720400 and 2350-TDWAY-TTTUN-990-ZZ-ZZ- 720401 and additional emails received since the preparation of the pack.
<b>Relevant Tideway site</b>	<b>Chambers Wharf</b>
<b>Decision</b>	<b>The requested change to the mitigation was NOT AWARDED</b>
<b>Further information required/actions arising</b>	A response in relation to queries arising from the compensation decision to follow next ICP compensation meeting.

<b>Item 30</b>	<b>Notes for the record</b>
<b>Applicant reference</b>	The Panel reviewed information pack 2350-TDWAY-TTTUN-990-ZZ-ZZ-720419 and additional emails received since the preparation of the pack.
<b>Relevant Tideway site</b>	Chambers Wharf
<b>Decision</b>	<b>The request was noted and respite was extended for one further month to enable any further liaison necessary before installation of the awarded mitigation.</b>
<b>Further information required/actions arising</b>	All parties to work together to facilitate the installation of the mitigation.

I confirm that these minutes are an accurate record of the proceedings of the meeting.

Signed

Date: 26 April 2019

**Fiona Penhallurick**  
*Chair, Independent Compensation Panel*